



## Reglement 2021

### 1.0 all rights reserved

Marco Thillmann  
TP - Event GmbH  
Gorch - Fock - Str. 19  
D - 21465 Reinbek

### 1.1 Responsible personell of the championship

#### 1. Championship Coordinator

Marco Thillmann

#### Information & registration:

Telefon: +49173 - 1039222 - Fax: +494104 - 9940298 - Email: [timeattack@gmx.de](mailto:timeattack@gmx.de)

#### 2. Event Organizer

TP- Event GmbH, Marco Thillmann

#### 3. Stewards

Heiko Gleu	+49172 - 1811012
Florian Scherler	+49157 - 51215757
Robert Brückner	+49151 - 24000019
Marcel Höft	+49172 - 4387190
Marco Thillmann	+49173 - 1039222

#### 4. Technical Inspectors

Marcel Höft Tech inspectors	+49172 - 4387190
Christian Henschel Tech inspectors	+49173 - 7177767
Robert Brückner Tech inspectors	+49151 - 24000019
Florian Scherler Tech inspectors	+49157 - 51215757

Technical questions can be with subject „Technik“ to: [timeattack@gmx.de](mailto:timeattack@gmx.de)

#### 5. Timing Marshal

Kassandra Mlejnek +49170-2999760

## 1.2 Attendance requirements

1. All participants must have fully paid the admission for the German Timeattack Masters prior to the 1<sup>st</sup> race to get registered for the championship.
2. The drivers must be holder of a valid driver licence (car) or a national racing licence (car) and be at least 18 years old.
3. The confirmation of attendance must be present at the time of the registration of each race. The championship –coordinator must be early enough informed if the participant is not going to participant on a race.
4. The participant is responsible to make sure that his car is in the regulation of the rules of the corresponding class.

## 1.3 General admission

1. **The admission of the final Round is:**  
**Registration and European Timeattack Masters 399,00 Euro**  
**Registration and German Timeattack Masters 399,00 Euro**  
**Registration and Kombination Euro + German 499,00 Euro**

An additional **100,-€ (late fee)** will be charged if the registration will be performed on the day of the 1st race.

**Guest starter will have to pay 399,- € for early registration or 449,- €. if the registration will be performed on race day.**

Approved registration is including motorsport insurance for the driver, a sticker set, the lease of the timing transponder and a total of the 3 entry passes for each race.

## 1.4 Registration

1. **Registration begin on 01. January 2021.** Only 1 driver can be registered per car.
2. **All driver must first apply as participants** with the attached form.  
If the application was successful approved, the **admission must be paid to the event-organizer** in 10 working days. Following, the registration must be performed and the approval for participation will be issued. The applicant has not the right to get automatically approved from the event- organizer.
3. **The latest moment of championship registration is on the day of the 1<sup>st</sup> race; the full admission including 100,00 € late fee must be paid.**
4. **Each registered driver gets the race car number assigned from the championship – coordinator for the entire season. The driver gets the number approved as soon as the registration is successful approved.** The timing transponder will be handed out on each race during registration and has to given back after the race.
5. **Each successfully approved driver gets once a sticker package from the championship –coordinator, which includes 1 windshield lettering, 2 small and 2 large race numbers, 4 main sponsor sticker (max. 30 cm) and 1 sticker for the assigned race class. All stickers, which were given by the championship –coordinator, must be on the car during every race as following:**
  - **The windshield lettering must be installed at the upper end of the windshield without restricting the visibility of the driver.**
  - **One small race number must be installed on the passenger side just under the windshield lettering.**
  - **The sticker with the assigned race class must be installed in close proximity to the small race number (Can also be installed on top of corner of the windshield lettering).**
  - **The large race numbers must be installed in the forward section on driver and passenger door, one sticker per one front door.**
  - **The location of the main sponsor sticker is free of choice.**
  - **The Timeattack sticker package can be modified if a tech inspector approved during the technical inspection of the car.**

## **1.5 Registration form**

The registration form must be filled out completely and needs to be sent to the **championship – coordinator**.

## **1.6 Race event**

1. **24. Oktober 2021 - Nürburgring GP Lang - European Timeattack Masters**
2. The race events are divided in multiple sessions for each class. The sessions are called: Training, Warm Up, Qualifying and Superlap Final. The duration of the sessions are between 10 and 60 min. depending on the schedule of the event. The Training can be canceled by the event- organizer depending on the schedule of the event.
3. The Training will not be timed. All other sessions will be timed. The lap times will be announced as soon as by the timing marshals.
4. The event- organizer can combine multiple class together in one session or separate a class in multiple sessions.
5. The fastest 5 participants in the Qualifying of each class will be part of the Superlap Final and will get their scoring depending of their position in Superlap Final. Participants which didn't qualify for the Superlap Final will get their scoring for the championship, depending of the position in Qualifying.
6. Driver of similar European Timeattack championships respectively guest starters can participate if approved by the event- organizer. They are able to achieve trophies and championship scoring for the corresponding class.
7. The Superlap Final has 3 rounds, One Inlap, one Hotlap and one Outlap. The participation of the Superlap Final can be voided if the driver is not present in time of the pre start. The participant will be disqualified if more than the 3 rounds were driven.
8. No Superlap Final scoring will be given if the Superlap Final for one or multiple classes is canceled due to organizational or technical reasons.
9. Passenger (data logging) or test drivers are allowed during the Training session if the person has signed a liability exclusion and the approval from the championship – coordinator.
10. Driving under the influence of drugs and alcohol is strictly prohibited and will result in the disqualification of the championship.

## 2.0 Scoring system

1. Scoring depending of the position during Qualifying.

Session	Qualifying									
Place	1st	2nd	3rd	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	9 <sup>th</sup>	10 <sup>th</sup>
Points	10	9	8	7	6	5	4	3	2	1

2. Scoring depending of the position during Superlap Final.

Session	Superlap Final				
Place	1st	2nd	3rd	4 <sup>th</sup>	5 <sup>th</sup>
Points	10	8	6	4	2

3. The points which were earned will be added to the existing points in the championship table. Points will be dinied and will be subtracted from the championship table for unfair behaviour and technical violations. Other drivers will get the points and move up in the championship table.
4. Drivers with the same amount of points will be rated by the Top 5 positionings of the Qualifying and Superlap Finals of the complete championship.

## 2.1 Trophies

1. All trophies will be assigned by the championship –coordinator.
2. There will be 3 trophies for the 1<sup>st</sup>, 2<sup>nd</sup> and 3<sup>rd</sup> position at every race in every class.
3. There will be 1 trophy for every champion in every class.
4. The grant ceremony will take place as fast as possible at the end of every event. The drivers must part of the grant ceremony and must wear their race suits.
5. Event results and championship table will be updated as soon as possible if a driver is disqualified afterwards.

## 2.2 Classification

**EXTREME - PRO 4WD - PRO 2WD - CLUB 4WD - CLUB 2WD**  
**POCKET ROCKET - SUPERCARS - SUPERLIGHTS**

## 2.3 CLUB & PRO

1. Cars will be assignend to corresponding class depending of their modifications.
2. Drivetrain classes can be mixed if there are less than 5 championship participants in a drivetrain class.

## 2.4 SUPERCARS

1. Cars which are listed in the table in 5.0 are so called “Supercars” and will be assigned to the Supercars class. The table can be adjusted during the season. The same regulations of the Club class will be carried out to the Supercars. When the supercars are modified, following regulation will be carried out:  
The cars must comply with the safety requirements of the corresponding class.  
The Supercars can be assigned to the Pro or Extreme class, corresponding to their modifications, if there are less than 5 championship participants in the Supercars class.

## 3.0 Briefings

1. Every driver has the responsibility to attend at the Briefings. A driver can ask for an extra Briefing if there are good reasons not to participate at the normal Briefing. The driver has to contact the championship –coordinator or a Steward. It is prohibited to drive on the race track without the participation of the Briefing!

## 3.1 Technical inspection

1. Every car must visit the technical inspection before entering the race track.
2. It's every driver's responsibility that the car complies with the assigned class and will withstand the technical inspection. The burden of proof is on the driver's side.
3. Every driver can be requested for an additional technical inspection by a Steward or Tech-inspector at any time of the event.
4. A Steward or Tech-inspector has to be informed by the driver if any modifications are made on the car. The car needs to visit the technical inspection again.
5. Only assigned persons by the Event-organizer are allowed to perform the technical inspection.
6. The car will be marked by a sticker under the **small race number of the windshield if the technical inspection was successful.**
7. The driver must bring the race suit and safety equipment to the technical inspection.

## 3.2 Safety in the pits and the pit lane

1. The speed limit of the pit lane is 30km/h, except if the race track operator has a different speed limit announced.
2. The speed limit of the pits and the paddock is 10km/h.
3. The pit lane must be always accessible for the ambulance, other participants and vehicles of the race track operator.
4. Fueling is strictly prohibited in the pit lane.

## 3.3 Lapt timing transponder

1. All drivers must install a transponder to their car. The manual instructions have to be followed for the correct installation of the transponder. The Timing-marshals can be asked for help.

### **3.4 Proper driver clothes**

1. The driver must wear a helmet with E Standard, a race suit and appropriate shoes. The usage of Fia approved driver equipment is recommended in the Pro class and is required in the Extreme class. This includes helmets, gloves, shoes and underwear. The usage of a HANS-Systems is recommended.

### **3.5 Behaviour on the race track and during incidents / accidents**

1. Actions will be taken which were announced during the Briefing if an incident / accident has happened. This includes light and flag signs which the driver has to obey in a timely manner. The driver can be disqualified and denied from the championship if the driver did not obey the requested actions.
2. The Event- organizer is not liable for the race time if a session has to be aborted. The lapped time will be used for scoring if a session can not to be restarted due to weather conditions or track conditions.
3. Preventing faster competitors or dangerous overtaking maneuvers are prohibited. Infringements have to be reported to the Championship –coordinator or the Stewards. Light signs from faster drivers which are on a Hotlap have to be respected.
4. It's prohibited to park a defect car on the race track. A safe position off the race track should be chosen.
5. Accidents and break downs have to be reported to the Championship –coordinator or the Stewards.
6. The participants are liable for self-induced damages to the race track. A car with leakage is not allowed to driver on the race track. The driver has to bring the car in a safe position off the race track if a leakage is occurring. Arising expenses for the cleaning of the race track have to be paid by the polluter.
7. External cameras have to be secured twice.

### **3.6 Technical objection**

1. Definition of technical objection is the assumption of violating the rules by a competitor, even though the competitor's car has passed the technical inspection. Only driver from the same class are eligible to report "technical objection" to the Championship –coordinator or the Stewards. The latest moment for a report is the beginning of the Qualifying of the certain class.

### **4.0 Commercial rights**

1. German Timeattack Masters is an event which is registered trademark. The name and the logo is registered and protected by the "Deutschen Marken & Patentamt". An unlawful use is absolutely prohibited. The usage of the logo has always to be approved by the owner.

### **4.0 Sportive rights**

1. The sportive and organisational rights are with the company "TP Event Service GmbH". German Timeattack Masters is not part of a motorsport umbrella association. Every approved participant is covered by a motorsport insurance for body injuries by the Event-organizer for the entire season.

## 4.2 Merchandising

1. All rights for merchandising in conjunction with German Timeattack Masters are with the company "TP Event GmbH". The logo can be used to brand the car and team clothing. The further usage needs to be approved from the Event- organizer.

## 4.3 TV rights/ Media/ Interviews

1. The Event- organizer owns all TV / Media/ Interview rights. Any kind of public relations activities needs to be approved by the Event- organizer. It is the ambition to establish the German Timeattack Masters as a motorsport racing series. To that effect it is necessary to present the German Timeattack Masters in a good way to the public. Any kind of negative expressions about the German Timeattack Masters are forbidden.

## 4.4 Responsibilities of the Championship participants towards the Event- organizer of the GTAM

1. It is the responsibility of the championship participants to attend at all 4 races. It is responsibility of the championship participants to inform the Championship –coordinator at least 1 week before, if the participant is not able to attend at the race/s. The house rules apply of the certain race track operator. These house rules as to completely followed.

## 5.0 Class Supercars

1. This list is with reservations of the Event- organizer. The list can be adjusted during the season, due to the newly achieved experience. Exceptions can be reviewed by the Event- organizer, and will only be decided by the Event- organizer.

<b>ASTON MARTIN</b>	alle
<b>AUDI</b>	R8, RS Modelle ab 2012
<b>BENTLEY</b>	alle
<b>BUGATTI</b>	Veyron
<b>BMW</b>	M3, M4, M5 & M6 (Baureihe F & neuer)
<b>CHEVROLET</b>	Corvette C6 (Z06/ZR1) & C7 (Z06)
<b>DODGE</b>	Viper
<b>FORD</b>	GT
<b>FERRARI</b>	alle
<b>GUMPERT</b>	Apollo
<b>HONDA</b>	NSX (2016 und neuer)
<b>JAGUAR</b>	F-Type
<b>KÖNIGSEGG</b>	alle
<b>LAMBORGHINI</b>	alle
<b>LEXUS</b>	LFA
<b>LOTUS</b>	Exige (V6 Modelle)
<b>MERCEDES</b>	SLS
	AMG GT
	C AMG (Baureihe 205 und neuer)
	E AMG (Baureihe 212 und neuer)
<b>MCLAREN</b>	alle
<b>NISSAN</b>	R35 GTR
<b>PAGANI</b>	alle
<b>PORSCHE</b>	Baureihe 991 und neuer
	996/997 - Turbo/GT2/GT3/RS
	Cayman GT4
	Carrera GT
	Panamera
<b>ULTIMA</b>	GTR

Club/Supercars	Pro/Pocket Rocket	Extreme
<b>Car Body</b>	<b>Car Body</b>	<b>Car Body</b>
The auto body has to match the mass produced car from the OEM. Wide fenders and wide body kits are prohibited if they weren't offered by the OEM. The edges of the fenders can be rolled but not pulled.	The auto body has to match the mass produced car from the OEM. Wide fenders and wide body kits are allowed to widen the width up to 150mm of the original width. Modification of the engine/passenger bulkhead and the transmission tunnel are allowed for lack of space but have to be review separately. <u>Pocket Rocket:</u> Only compact cars are allowed in this class.	The auto body has to match the mass produced car from the OEM between the forward and rear shock absorber upper mountings. Wide fenders and wide body kits are allowed to widen the width up to 350mm of the original width. The removal of the B-pillar is possibly if the auto body will be equally reenforced. Modification of the engine/passenger bulkhead and the transmission tunnel are allowed for lack of space but have to be review separately.
<b>Auto body attachments</b>	<b>Auto body attachments</b>	<b>Auto body attachments</b>
The usage of other front/rear lips, hoods, spoilers, bumpers and side skirts are allowed. The usage of non-OEM air splitters, canards, light weight doors, light weight roofs or diffusors are prohibited. Front lips are allowed to extend a maximum of 50mm of the outline of the front bumper in the side projection. Non-OEM bumpers with implemented front/rear lips are regulated like non-OEM front/rear lips in regards of the dimensions. Front/rear lips and OEM canards are prohibited if they extend over the outline in the front projection. All bumpers have to exist in full size. Spoilers are allowed if they only one air foil, if not differently equipped by the OEM. Spoilers width is limited to the width of the auto body. Spoilers height is limited to the height of the roof. Exception are compact cars, spoilers height is limited to the height of the roof plus 150mm. It is prohibited that the spoiler adjustable during driving, if not equipped by the OEM.	The usage of other front/rear lips, hoods, fenders, bumpers ,side skirts, light weight doors, light weight roofs and wide body kits are allowed. The usage of non-OEM air splitters and diffusors are allowed, as long as they don't stick out more than 150mm over the front and rear bumpers of the outline in the side projection, but must not stick out of the outline at the widest body part in the front projection. Canards are allowed to stick out up to 75mm of the outline in the side projection, but must not stick out of the outline at the widest body part in the front projection. The spoilers height is limited to the height of the roof and can stick out up to 100mm over the rear bumper in the side projection. Exception are compact cars, spoilers height is limited to the height of the roof plus 250mm. Spoilers and canards are allowed to have a maximum of 2 air foils. It is prohibited that the spoiler adjustable during driving, if not equipped by the OEM. The front splitter has to end with the rear edge of the front wheelwell (or further front). The diffusor has to begin with the forward edge of the rear wheelwell (or further back). A closed underfloor between front wheelwell and rear wheelwell is prohibited. A roll cage with door bars is obligated if light weight doors are used. A 6-point roll cage is obligated if a light weight roof is used.	Canards, frontsplitter, diffusor and underfloor are allowed to stick out to the front, side and rear up to 300mm of the front and side projection. The spoilers height is limited to the height of the roof plus 250mm and can stick out up to 150mm to the sides of the car. The spoiler can be adjustable during driving as long as the traveling distance in the limits. The usage of an underfloor is allowed.
<b>Roll cage</b>	<b>Roll cage</b>	<b>Roll cage</b>
The usage of a roll bar or roll cage on a closed car is not obligatorily but is recommended. An open car / convertible requires at least a roll bar (4-Point).	A 4-Point roll bar is required. A 6-Point roll cage (see annex) is recommended. A 6-Point roll cage is going to be required in season 2018.	A 6-Point roll cage (see annex) is required.
<b>Fuel</b>	<b>Fuel</b>	<b>Fuel</b>
Only fuels which are available at public gas stations are allowed. Adding of additives are prohibited.	See Club class.	No restrictions.




Seats & safety harness	Seats & safety harness	Seats & safety harness
The usage of OEM safety harness is allowed. It's allowed to use a 4/5/6-Point safety harness as an alternative if an appropriate seat is used. A sufficient mounting of the seat and safety harness has to be guaranteed. A passenger seat must be installed. The position of the driver seat must not be relocated.	The usage of 5/6-Point safety harness with an appropriate seat for the driver side is required. A passenger seat must not be installed. A 5/6-Point safety harness with an appropriate seat for the passenger side is required if a passenger is on board during WarmUp for data logging. A sufficient mounting of the seat and safety harness has to be guaranteed. The position of the driver seat can be relocated.	The usage of FIA approved seat and 5/6-Point safety harness is required. The FIA due date can be expired. A passenger seat must not be installed. A 5/6-Point safety harness with an appropriate seat for the passenger side is required if a passenger is on board during WarmUp for data logging. A sufficient mounting of the seat and safety harness has to be guaranteed. The position of the driver seat can be relocated.
Fire extinguisher	Fire extinguisher	Fire extinguisher
A fire extinguisher with a minimum of 2.0kg extinguishing agent has to be in range of the driver. The fire extinguisher must be secured to prevent flinging.	A fire extinguisher with a minimum of 2.0kg extinguishing agent has to be in range of the driver. The fire extinguisher must be secured to prevent flinging. The usage of a fire extinguishing system is recommended.	See Pro class.
Kill switch	Kill switch	Kill switch
Not required.	Not required but recommended.	The usage of a Cut-off switch is required. The driver must be able to operate the cut-off switch from his seat. Additionally, it must be possible to operate the cut-off switch from the outside of the car. Indication markings must be installed.
Suspension/ Chassis	Suspension/ Chassis	Suspension/ Chassis
Only strut mounts, sway bars, shock struts, springs and bushings are allowed to be replaced. A minimum of 80mm ground clearance must be given. Exception is the exhaust system with 65mm ground clearance.	Only strut mounts, sway bars, shock struts, control arms, struts, springs and bushings are allowed to be replaced. A minimum of 65mm ground clearance must be given.  Pocket Rocket: A minimum of 50mm ground clearance must be given.	It's allowed to replace, reinforce or modify any chassis part. Only the original mounting points of the shock struts must be used in it's position and function. A minimum of 50mm ground clearance must be given.
Tyres	Tyres	Tyres
Only tyres with ECE marking are allowed. The width is limited to a maximum of 295mm for 2wd and a maximum of 265mm for 4wd. Wider tyres are only allowed if wider tyres were delivered by the OEM. The tyre thread needs to be covered by the fender. A sufficient clearance must be given during axle articulation.	Only tyres with ECE marking are allowed. The tyre thread needs to be covered by the fender. A sufficient clearance must be given during axle articulation.	No tyre restrictions. The tyre thread needs to be covered by the fender. A sufficient clearance must be given during axle articulation.
Brakes	Brakes	Brakes
An parking brake is required.	No restrictions.	No restrictions.

Engines	Engines	Engines
<p>Only engines delivered by the OEM in this model are allowed. Only turbocharger/compressor delivered by the OEM in this model are allowed. The turbocharger/compressor must not be modified in it's design. Only individual throttle bodies delivered by the OEM in this model are allowed. Anti lag-, nitrous- and water-methanol systems are prohibited.</p>	<p>All engines are allowed. The usage of a water-methanol system is allowed as long as the lines and the tank are not located in the passenger compartment. The usage of a nitrous system is prohibited.</p> <p>Pocket Rocket: Only naturally aspirated piston engines with a maximum of 1750cc are allowed. Encreasing of the cylinder capacity of more than 1750cc is prohibited.</p>	<p>All engines are allowed. The usage of a water-methanol system is allowed as long as the lines and the tank are not located in the passenger compartment. The usage of a nitrous system is prohibited.</p>
Cooling	Cooling	Cooling
<p>The radiator needs to mounted at the same location delivered by the OEM.</p>	<p>Cooling lines must not be located in the passenger compartment except of the heater.</p>	<p>See Pro class.</p>
Exhaust system	Exhaust system	Exhaust system
<p>All types of exhaust systems are allowed. The run of the exhaust systems must be the same as delivered by the OEM. A muffler must be installed. It's necessary to ensure that the noise limit of the race track is not exceeded. For that, you must ask the organizer for the noise limit.</p>	<p>All types of exhaust systems are allowed. A muffler must be installed. It's necessary to ensure that the noise limit of the race track is not exceeded. For that, you must ask the organizer for the noise limit. The exhaust must end at the aft of the car, minimum 75mm above the ground.</p>	<p>All types of exhaust systems are allowed. A muffler must be installed. The exhaust system must be double walled and protected against heat if the exhaust system runs through the passenger compartment. It's necessary to ensure that the noise limit of the race track is not exceeded. For that, you must ask the organizer for the noise limit. The exhaust must end at the aft of the car, minimum 75mm above the ground.</p>
Battery	Battery	Battery
<p>All types of batteries are allowed. The terminals must be covered. The located of the battery is free of choice. The battery must be protected against spill/leakage if the battery is installed in the passenger compartment. The battery must be secured to prevent flinging.</p>	<p>See Club class.</p>	<p>See Club class.</p>
Windows	Windows	Windows
<p>It's required to use the OEM windows. Window tinting is acceptable as long as the visibility of the driver not restricted. The windshield wiper system must be fully functional. The windshield must be ventilated or heated.</p>	<p>Light weight windows are allowed. Window tinting is acceptable as long as the visibility of the driver not restricted. The windshield must be made out of glass. The windshield wiper system must be fully functional. The windshield must be ventilated or heated.</p>	<p>Light weight windows are allowed. Window tinting is acceptable as long as the visibility of the driver not restricted. The windshield wiper system must be fully functional. The windshield must be ventilated or heated.</p>
Mirrors	Mirrors	Mirrors
<p>It's allowed to use after market mirrors. The quantity and installation location must be equal to the OEM.</p>	<p>It's allowed to use after market mirrors. The installation location is free of choice as long as the visibility of the driver is not restricted. The quantity must be equal to the OEM. The rear-view mirror can be changed to a camera-monitor system.</p>	<p>2 side-view mirror must be installed.</p>


Tow hook	Tow hook	Tow hook
The forward and rear original tow points must be accessible and fully functional. The tow points must be marked with a yellow/orange/red arrow + "TOW". A tow strap/hook is recommended if it's properly to the frame attached.	The forward and rear original tow points must be accessible and fully functional. The tow points must be marked with a yellow/orange/red arrow + "TOW". A tow strap/hook can be used as an alternative if it's properly to the frame attached.	A minimum of one forward and one rear tow point must be available. The tow points must be attached to the main frame. The tow points must be marked with a yellow/orange/red arrow + "TOW".
Fuel system	Fuel system	Fuel system
It's prohibited to run fuel lines through the passenger compartment. It's prohibited to modify the fuel lines if the OEM delivered the car with them running through the passenger compartment. Fuel lines must have a sufficient distance to rotating and/or hot parts. A swirl tank must not be in passenger compartment and engine bay if installed. The swirl tank must be sufficient installed. Only an OEM tank is allowed to use.	See Club class.	It's prohibited to run fuel lines through the passenger compartment. It's prohibited to modify the fuel lines if the OEM delivered the car with them running through the passenger compartment. Fuel lines must have a sufficient distance to rotating and/or hot parts. A swirl tank must not be in passenger compartment and engine bay if installed. The swirl tank must be sufficient installed. It's allowed to use an after market tank. Fuel system from cars with valid car-passport (Inter-/National recognized motorsport agency) are acceptable.
Drive train & transmission	Drive train & transmission	Drive train & transmission
Only drive train concepts delivered by the OEM are allowed. Sequential transmissions and automatic transmissions with paddle shifters are prohibited, except it was originally delivered by the OEM. The usage of dog box gear sets are prohibited.	Only drive train concepts delivered by the OEM are allowed. Sequential transmissions are allowed. Automatic transmissions with paddle shifters are prohibited, except it was originally delivered by the OEM.	No restrictions.
Electric	Electric	Electric
The electric system must remain as delivered by the OEM. Aftermarket engine management systems are allowed. All lights must remain originally in amount, shape and function as delivered by the OEM.	All indicator-, brake- and rear-lights must remain originally in amount, shape and function as delivered by the OEM. Only one head light can be replaced by a cover. The hazard light and brake light must function. The electric system can be modified.	All lights can be replaced by covers as long as the shape of the covers are similar to the lights. At least 1 functional head light (choice of shape is free) and 2 functional rear lights, in meaningful shape, must be installed. The electric system can be modified.
Dashboard & door panels	Dashboard & door panels	Dashboard & door panels
The original dash board must remain in full size as delivered by the OEM. The driver and passenger doors must have door panels installed. The choice of the instrument cluster is free.	See Club class.	The choice of the dash board is free. The windshield must be ventilated or heated.
Steering, wheels & spacers	Steering, wheels & spacers	Steering, wheels & spacers
The wheels must have sufficient space to the brake system and the shock strut. Only 1 spacer per wheel up to 30mm is allowed.	See Club class.	See Club class.
Tyre warmer	Tyre warmer	Tyre warmer
Not allowed.	Not allowed.	allowed.

# Club / Supercars




no fender or car bodywork widening allowed

# Pro / Pocket Rocket



fender or car bodywork widening to max. 150 mm per side as OEM allowed

# Extreme



fender or car bodywork widening to max. 300 mm per side as OEM allowed

## 6 Point Rollcage

